

U. S. ARMY
MEDICAL DEPARTMENT.

Sixty-ninth U.S. Cavalry at Baker's Butte
REGISTER
AND
PRESCRIPTION BOOK
OF
Regiment.

EXAMPLE TO ILLUSTRATE
Register and Prescription Book

	NAME	RANK	REG'T	COMP.	DISEASE
<i>January 1, 1863.</i>					
	James Barron,	P.		C	Pneumonia,
	Joseph P. Smith,	P.		H	Diarrhoea,
	William Parker,	P.		K	Int. Fever, quotid,
	Andrew J. Johnson,	P.		A	Chr. Rheumatism,
	Solomon C. Case,	P.		D	Fract. Pelvis,
<i>January 2d.</i>					
1	J. Barron,			C	
2	J. P. Smith,			H	
3	W. Parker,			K	
4	A. J. Johnson,			A	
5	S. C. Case,			D	
6	George H. Anderson,	Corp.	110th N. H.	E	Gunshot w'd r. leg,
7	Peter A. Cummings,	P.	98th Conn.	I	Fract. r. thigh,
8	Abraham Concord,	P.		F	Primary Syphilis,
<i>January 3d.</i>					
1	J. Barron,			C	
2	J. P. Smith,			H	
3	A. J. Johnson,			A	
4	S. C. Case,			D	
5	G. H. Anderson,		110th N. H.	E	
6	P. A. Cummings,		98th Conn.	I	
7	A. Concord,			F	
8	John Adams,	P.		G	Drunkenness,
9	Charles E. Ingraham,	P.	25th Me.	A	Gunshot wd. r. foot,
10	Alexander Hearn,	Serg.	2d Mass.	F	do. of scalp,
11	Samuel Singer,	P.	20th Conn.	B	Bayonet wd. chest,
<i>January 4th.</i>					
1	G. H. Anderson,		110th N. H.	E	
2	A. Concord,			F	
3	J. Adams,			G	
4	C. E. Ingraham,		25th Me.	A	
5	A. Hearn,		2d Mass.	F	
6	S. Singer,	P.	20th Conn.	B	
7	Jacob Ashley,			A	Insanity,
8	Terence Bly,			K	Indigestion,
9	Seth H. Adams,			I	Catarrh.,
10	John Sanderson,			C	Ing. Hernia r.,
11	Michael Bunce,			F	Catarrh.,
12	John J. Simons,	Corp.		F	Constipation,
<i>January 5th.</i>					
1	G. H. Anderson,		110th N. H.	E	
2	A. Concord,			F	
3	T. Bly,			K	
4	S. H. Adams,			I	
5	J. Sanderson,			C	
6	M. Bunce,			F	
7	J. J. Simons,			F	
8	Andrew Smith,	P.		B	Dysentery,
9	Aaron Carter,	P.		F	Cholera Morbus,
10	Archer Boulton,	P.		A	Chr. Rheumatism,
11	Samuel C. Haines,	P.		do.	do.
12	George Brower,	Corp.		G	Strict. Urethra,
13	William Hanson,	P.		A	Cont. Fever,

for Regiment

THE USE OF THIS BOOK.
of 110 Regiment, N. Y. S. V.

In Hospital or Quarters	PREScription AND REMARKS
H.	3 Aperient pills. Opiate at night.
H.	2 Comp. Cathartic Pills.
Q.	5 Quinia pills an hour before the time for next paroxysm.
Q.	10 Minims F. E. Colchic. Seed every 2 hours till it operates.
H.	Rest. Opium every hour till pain is relieved.
H.	A dose of the cough mixture every 3 hours.
H.	Opium pill after each evacuation.
Duty.	Repeat the Quinia this day a week.
Q.	Frictions with liniment.
H.	Cont. Opium pill every 3 hours.
H.	Amputation below r. knee. (Found wounded).
H.	Provisional dressing.
Q.	Lunar caustic to chancre.
General Hospital.	
Discharged on Certif. of Ord. Disability.	
Duty.	
Died 4 A. M. Autop. Fract. r. ilium, rupt. of bladder.	
Dressings.	
Sent to his Regiment, 98th Conn.	
Water dressing to penis.	
Confined under guard.	
Water dressing.	
Shave parts and apply water dressing. (Found wounded.)	
Rest, firm bandage, 2 opium pills.	
Dressings, 2 aperient pills.	
Wash of Sulph. of Zinc, 10 grs. to f oz.	
Duty.	
Sent to his Regiment.	
do. do.	
do. do.	
Insane Asylum.	
2 Cathartic pills, low diet.	
Cough mixture every 2 hours till it nauseates.	
Rest in a recumbent posture.	
Cough mixture 3 times a day.	
2 Cathartic pills, to be repeated at night, if requisite.	
General Hospital with Certif. for Pension.	
Continue. L. diet.	
Duty.	
Cough mixture 3 times a day.	
Truss applied.	
Continue.	
Duty.	
10 grs. Calomel followed in 4 hours by 2 aperient pills.	
Rest and abstinence.	
10 minims F. E. Colchic. Seed every 2 hours till it operates.	
Teaspoonful of Tart. Soda and Potassa twice a day. Liniment.	
Bougies applied.	
2 Aperient pills. Full diet.	

Aug. 4th [1887-A.R.P.]

Columba fasciata ♂ ad.

Baker's Suite at B. Spring.
391; 639; 213; 148; cul. 18
gape 29; tibia 54; tars 29;
mtc 39; cl. 10; htc 25; cl. 10
Bell yellow at base, with
sharply defined black tip
legs & feet yellow; claws
plumbeous-black. Fingers
with 3 rings. The outer like
eyelid (inner-color), shiny brown
on middle ring & yellowish on
narrow inner ring.

Picoides stricklandi Gmel.

223; 384; 123; 79; cul 37
gape 35; tip of bill in center of
pupil, 42; tip of bill to upper
tip of bill 10; upper 28
56; base of bill to upper 20. 3; mtc
tibia 29; tarsus 20; cl. 9.5;
htc 17; cl. 9.5.

for

Regiment

In Hospital
or Quarters

PRESCRIPTION AND REMARKS

Aug. 5th.

Columba fasciata ♂ ad. 385; 642;
212; 146; cul 18; gape 29; tibia 60;
tars 30; mtc 40; cl 9; htc 24; cl 9
Piranga aestiva cooperi ♀ ad. East
Foot of Verde River. Aug. 5, 1887

; 101; 83; tarsus, 22
mtc, 23; cl., 7; htc, 15.5; cl 7
Columba fasciata ♀ ad. 377;
640; 210; 148; cul, 20; gape, 36
tibia 60; tars 29; mtc 39; cl 10;
htc 24; 10. An egg of full size in it
Columba fasciata 374; 650; 215;
748; cul, 18; gape 29; tibia 58
tarsus 29; mtc 38; cl, 10; htc 24; cl 9
Columba fasciata ♂ 384; 640; 218; 150
cul 18; gape 29; tibia 55; tarsus 28;
mtc 40; cl, 11; htc 24; cl, 10

Columba fasciata ♂ ad. 394; 645;
216; 154; cul 18; gape 29; tibia 57
tarsus 29; mtc 39; cl 9.5; htc 25; cl 10

Columba fasciata, ♀ ad. 369; 600
202; 143; cul 18; gape 28; tibia 47
tars 26; mtc 37; cl 10; htc 22; cl 9

Columba fasciata ♂ ad. 384; 650;
216; 145; cul 20; gape 31; tibia 55;
tars 29; mtc 38; cl 8; htc 25;
cl. 10. Contaminated good sized

egg. Piranga hepatica juv.
first plumage

Register and Prescription Book

for

Regiment

No. NAME RANK REG'T COMP. DISEASE

In Hospital
or Quarters

* Contained good-sized egg.

PRESCRIPTION AND REMARKS

Columba fasciata ♀ ad. 368; 620;
 207; 144; cul 19 gape 30 lib 49;
 tarsus 29; mtc 3 $\frac{1}{2}$; cl 10; htc 24; cl 9.
Columba fasciata ♂ ad. 385; 636;
 217; 150 cul 18 gape 29 lib 58;
 tars 29 mtc 40 cl 10.5 htc 25 cl 10.
Columba fasciata ♂ ad. 393; 655;
 220; 155; cul 17.5 gape 29 lib 59;
 tars 28 mtc 39 cl 10.5 htc 26 cl 10.
Columba fasciata ♀ ad. 375; 630;
 212; 147; cul 19 gape 30 lib 55;
 tars 27 mtc 39; htc 25; cl 10.5.
Columba fasciata ♀ ad. 363; 637;
 216; 147; cul. 16; gape 25; lib 50;
 tars 28 mtc 38; cl. 9.5;
 htc 24; cl. 9.

Note, Mr. Mr. Gangblom, living
 at Dr. Massengay's ranch, killed
 2 lions last winter. One measured
 total length 7 ft. 10 in. An old male.
 Estimated weight 140 lbs.
 Also killed large Common Boar
 that was fighting a male boar. The
 hog was fighting viciously, but
 wounded older boar severely.
 He had been shot. Mr. Mc-
 Neough at first the issue of the
 fight was doubtful.

Register and Prescription Book

for Regiment.

No.

NAME

RANK REG'T COMP.

DISEASE

In Hospital
or Quarters

PRESCRIPTION AND REMARKS

August 4th. Left camp at Fern Spring, near Baker's Butte at 3 o'clock P.M. and marched to Pine Creek Settlement 9 miles

August 5th. - Started from Pine at 8 o'clock A.M. I stopped an hour en route to shoot Band-tailed Pigeons, of which I got 12, two at a shot 3 miles. When I reached the Natural Bridge trail, I saw that our party had gone fast. Their trail led past the forks of the road to a heavy wash, where I lost it, there being fresh mule tracks in the sand which I thought were our packmules. I rode on to Fuller's Ranch on the East Fork of the Verde River, where I shot a Coopers Tanager and got a drink of water milk at the ranch. Turned back and went to the Bridge, where I found the soldiers & pack mule, they having followed up the cañon of Pine Creek from where they struck it 8 miles below and where Mr. Andrew M. Harlaner

Register and Prescription Book

for _____ Regiment

No.

NAME

RANK REG'T COMP.

DISEASE

In Hospital
or Quarters

PRESCRIPTION AND REMARKS

Camped with his horse and pack-mule.

Aug. 6th. Rode down the canon of Pine 8 miles and found Mack in camp. Turkey tracks were thick & one rabbiting seen. Mr. M. had cooked a mess of verde Bowytails. There were several species of fishes in the creek. We stayed in camp until 3 o'clock and rested the animals waiting for Newman who had been sent around by the road to intercept Mr. F. Should we have left camp & tried to find the bridge. We saw Proctor's horse's tracks where he had been down at the creek before we got there, but had left & followed some horse tracks down the creek so we left him behind and rode six miles, crossing the East Verde at mouth of Rock Creek & then following up Turbine Creek, a tributary entering the East Verde from the Malatzal Mountains nearly opposite Rock Creek.

Register and Prescription Book

for _____ Regiment.

No.	NAME	RANK	REG'T	COMP.	DISEASE	In Hospital or Quarters	PREScription AND REMARKS
-----	------	------	-------	-------	---------	----------------------------	--------------------------

Zosterops virens, *Zosterops virens*,
Zosterops virens, *Zosterops virens*,
Zosterops virens. Birds seen at Kukul'ya
Melospiza fasciata fallax also

Register and Prescription Book

for _____ Regiment

No.

NAME

RANK REG'T COMP.

DISEASE

in Hospital
or Quarters

PRESCRIPTION AND REMARKS

August 7th Camped on Sulfur
Gloss mtns, when breaking a
branch of Cypress for our fire
a chip sprang into my eye
sticking the eyeball with great
force? I spent the day in camp
applying cold water not being
able to see. A bear had
made a bed in a fork of the
creek not 20 yards from
our camp & had probably
left the night we got there
as his tracks & den were fresh

Aug 8th. Rode 14 miles back
to Natural Bridge on Pine Creek

Saw one deer & shot 1 pigeon

Same shot Turkey Buzzard
Thinking it was an Eagle Eye
some better; not able to see the
country or shoot yet

Aug. 9th. Eye still inflamed
able to keep it open a good
deal. The birds about the bridge
are Swifts which have left their
nesting places & are now rare).

P. H. K. Chinned Hummers, A. psaltria
Pipilo subnigra, Totena viridis, Aphelo-
-coma woodhousei, Sayornis nigricans
(turn back on page)

Register and Prescription Book

for _____ Regiment.

No. NAME RANK REG'T COMP. DISEASE

In Hospital
or Quarters

PRESCRIPTION AND REMARKS

August 8th Natural Bridge
 622 Spermophilus grammurus ♂ ad
 A very dark specimen, nearly
 black on crown & strongly marked
 with some on dorsum generally
 Whiskers all black Under parts
 a pale butternut brown.
 Total length 4580 Head & body 285
 tail vert. 211 width 130 tip of
 nose to front teeth 8 angle mouth 37
 eye 28 centre of pupil 35 ear 54
 meatus 57 tip of ear 85 occiput 70
 end hind leg 400 Ears above crown
 19 not incl width 24 Between
 eyes 35 chest girth 156 Longest
 whiskers 60 Nose limit from ear
 111 olecranon 83 wings 39
 width 14 cl 8 Hand limit 150
 knee 117 pes 60 width 16 cl 8.
 Skull only preserved
 Total length measured to tip of vert.
 not to tip of hairs. Make allowance

PRESCRIPTION AND REMARKS

August 15th Battler Butte
Hesperomys leucopus sonoriensis Fad.
A very large adult, shot the day
before I started for Verde River
first trip. Total length, 162; head & b.
97; tail vert. 62; hairs 67 Ears,
height above crown 17; notch 18.5;
width, 13; between eyes, 9.5. Chest
with 70 whiskers 37. Tip of nose to
front teeth, 5; angle of mouth 15.
Eye, 13.5; centre pupil 16; ear 2 1/2
meals, 23; tip of ear 45; occupies
29; end of hind limb 137. Fore limb
31; olec. 24; manus 10.5; width 3.6
Hind limb 52; knee, 38. Peso 21
width 4.5 = Peromyscus rufinus Merriam
[This is the only fully adult specimen
that I got in Arizona. E.A.M. Aug, 1881.]

Register and Prescription Book

for Regiment

No. NAME RANK REG'T COMP. DISEASE

In Hospital
or QuartersAug. 10th

PRESCRIPTION AND REMARKS

Spermophilus arizonensis ♂ ad. Total 6577
 H. & body 263 Tail vert 260 hairs 320
 width, 115 Ears crown 24 notch 34
 width .26 Post. eyes 38 Chest girth 140
 Longest whiskers 70 Tip of nose to front
 teeth, 10 angle mouth 34 eye 31
 centre pupil 36.5 ear 55 meatus 56
 tip of ear 86 occiput 71 end of
 hind leg 420 Diameter eye 8.35
 Fore limb from coracoid 128 olecranon 97
 manus 49 width 14 cl. 10
 Hind limb 185 knee 131 pes 72
 width 15 cl. 10.5

Spermophilus arizonensis ♂ ad. L. length 596
 H. & body 260 Tail vert 262 hairs 337
 width, 150 Ears crown 25 notch 33
 width, 26 Between eyes 37 Chest girth 150
 Longest whiskers 76 Tip of nose to
 front teeth, 9 angle mouth 32
 eye 31 centre pupil 37 ear 54
 meatus 55 tip of ear 84 end of hind
 leg, 408 Diameter of eye, 8.
 Fore limb from coracoid 125 olecranon
 95 manus 49 width 14 l. cl. 9
 Hind limb 185 knee 133 pes 70
 width, 15 cl., 9.5.

Register and Prescription Book

for _____ Regiment

No.	No.	NAME	RANK	REG'T	COMP.	DISEASE	In Hospital or Quarters	PREScription AND REMARKS
-----	-----	------	------	-------	-------	---------	----------------------------	--------------------------

595

Sciurus arizonensis ♂ juv. J. L. 595

H. & body 25° Tail vert. 266 hairs 342
 width 145 Ears crown 24 notch 33
 width 25° Bet. eyes 35. Chest depth
 130 Longest whiskers 70 Tip of nose
 to front teeth 9 Angle mouth 31
 eye 29.5 centre pupil 35° ear 53
 manus 54 tip of ear 86 occiput 67
 end of hind leg 393 Fore hind cor. 124
 olecranon 96 manus 51 width 13
 cl. 9.6 Hind limb 187 knee 131
 Pcs 73 width 15° cl. 9.8.
 Diameter of eyes 8.

Register and Prescription Book

for

Regiment

No.

NAME

RANK REG'T COMP.

DISEASE

In Hospital
or Quarters

PRESCRIPTION AND REMARKS

August 11th

Setophaga picta 146; 212; 77;
 68; cul., 10; nostr., 7; gape, 14; tibia, 23.5;
 tars., 17; mtc., 15; claw, 5; hte., 13; claw, 6.
 Irides, dark hazel. Bill, legs, feet & claws
 brownish black.

August 10th

Sciurus arizonensis ♀ ad. 600 (total length).
 Head + body 278; tail, vert. 265; hairs, 32.5;
 width of tail, 115; ears, crown, 23.5;
 notch, 33; width, 25; between eyes, 34;
~~tip of~~ chest girth, 150; longest whiskers,
 65; tip of nose to front teeth, 9;
 angle mouth 33; eye, 30.5; diameter of
 pupil, 38; ear, 54; meatus, 56; tip
 of ear, 86; occiput, 69; end
 of hind leg, 430; diameter of eye, 9;
 forehead from coracoid, 130;
 olecranon, 96; manus, 49; width, 15;
 claw, 10; hind limb from femur, 193;
 knee 134; pes, 71; width 14.5; cl., 10.

Sciurus arizonensis ♂ ad. total length
 581; head + body, 270; tail, vert. 264;
 hairs, 32.3; width, 103; ears, crown, 24;
 notch, 33; width, 25; between eyes, 36;
 chest girth, 145; longest whiskers, 65;
 Tip of nose to front teeth, 10; angle

mouth, 32; eye, 30; center of pupil,
 36; ear, 53; meatus, 56; tip of
 ear, 86; occiput, 70; end of hind
 leg, 420; diameter of eye, 8.8; fore-
 limb from coracoid 120; olecranon,
 91; manus, 47; width, 15; claw, 10;
 hind limb from femur, 185; knee, 129;
 pes, 72; width 16; claw, 10.

Setophaga picta 147; 221;
 76; 70; cul., 10; nostr., 6.5; gape, 14;
 tibia, 23; tars., 16.5; mtc., 16; claw, 4;
 hte., 12; claw, 5.

Setophaga picta 154; 225;
 77; 71; cul., 10.5; nostr., 7; gape, 14;
 tibia, 24; tars., 15.7; mtc., 16; claw, 5.2;
 hte., 13; claw, 5.6. Colors of parts
 same as others.

Tamias dorsalis ♀
 total length, 255; head + body, 130;
 tail, vert., 100; hairs, 130; width of
 tail 50; ears, crown, 17; notch, 22;
 width, 13; between eyes, 17.5; chest girth, 80;
 longest whiskers, 37; tip of nose to front
 teeth, 5; angle mouth, 20; eye, 16.5;
 center of pupil, 20; ear, 31;
 meatus, 32; tip of ear, 53; occiput, 40;
 end of hind legs, 199; diameter of eye, 5;
 forehead from coracoid, 59; olecran-

Register and Prescription Book

for Regiment

No.

NAME

RANK REG'T COMP.

DISEASE

In Hospital
or Quarters

PRESCRIPTION AND REMARKS

nose, 43; maxilla, 20; width, 6;
 claw, 3.5; mid limb from femur, 88;
 knee, 61; pes, 34.5; width, 7;
 claw, 4.

5620 *Buteo swainsoni* ♂ ad.
 545; 14; 400; 230; cul + cere, 36;
 cere, 10.5; cul, 25; gape, 43; tibia,
 110; tars, 85; met, 58; claw, 22; tlc, 48;
 claw, 28; inner claw, 26.5; outer claw, 17.
 Tail with one sub-terminal bar.
 Stomach filled with Saguaro. It
 had caught ^{worms} a squirrel (*Sciurus*
arizonensis) which it had just
 killed before.

Picus vittatus harrisi ♂ ad. 241; 406
 149; 92; cul, 30.5; gape, 33.5;
 tibia 32; tars 22.5; mtc, 21.5; cl. 10
Ophelocoma silvaticae arizonae ♀ juv.
 Aug., 1887 A few of the blue feathers
 of the fall plumage adhering on the
 hind & back wing, at the grayish
 feathers of the full plumage, sides
 dark hazel; Bill flesh color at
 base over irregular area, with
 blunderous tip. Feathers dark
 brownish-gray. claws & plumaceous
 - black length 34.5, wing 166
 tail 155.

Ophelocoma silvaticae arizonae ♂ juv.
 Aug., 1887. Colors same as above
Ophelocoma silvaticae arizonae ♀ ad.
 Aug., 1887. 350; 533; 176; 63
 cul 33; gape 38; tibia 32; tlc 43
 mtc 36; cl 10.5; tlc 27; cl 12.5
Ophelocoma silvaticae arizonae ♀ ad.
 Aug., 1887. 357; 525; 178; 67
 cul 30; gape 39; tibia 36; tlc 44
 mtc 36; cl 10; tlc 28; cl 12

5626 *Pithecna maculatus megalonyx* ♂ juv.
 First plumage. Aug.,
Cathartes richardsonii ♀ juv. Young
 of the year. Perhaps tail. Black
 first plumage. Mts., CO. Aug.

5628 *Bucanetes githagineus boucardi* ♀ ad. In
 worn plumage. Water Cr. Aug.
 166; 211; 67; 71; cul 13.5; gape 14.5
 tibia 32; tars 23.5; mtc 20; cl 5.6
 tlc 15; cl 7

5636 *Loxia stricklandi* ♂ (juv.) Black
 Red. Aug. 173; 294; 98; 63; cul, 20; tibia
~~173; 294; 98; 63; cul, 20; tibia~~ 30.
 tars 19; mtc 21; cl. 74; tlc 18; cl 9
Loxia melanotos malala ♀ ad
 310; 315; 99; 83; cul 17; gape 20
 tars 23.5; mtc 23; cl 6.5; tlc 17; cl 7

Register and Prescription Book

for _____ Regiment

No.

NAME

RANK

REG'T

COMP.

DISEASE

In Hospital
or Quarters

PRESCRIPTION AND REMARKS

Progne subis ♂ ad. Weber Cocky
 Tonto Basin, Arizona. Aug. 1887
 207; 419; 153; 78; cul. 13; front 9.2
 gape 25; tib. 31; tars. 14.5; mtc. 22; cl. 7.5
 hte 14; cl. 7

200 Progne subis ♀ juv. Weber Cr. Aug.
 203; 410; 146; 78; cul. 12; front 8
 gape 24; tibia 28; tars. 16.5; mtc. 22
 6.2; hte 15; cl. 6.5. Spotted with blue

201 Progne subis ♀ ad. Weber Cr. Aug.
 199; 420; 150; 74; cul. 13.5; front
 9.1; gape 25.5; tibia 28; tars. 17
 mtc. 23; cl. 7; hte. 16; cl. 7.

202 Progne subis ♀ juv. Weber Cr. Aug.
 208; 426; 152; 80; cul. 13; front
 8.5; gape 24.5; tibia 29; tars. 17
 mtc. 23.5; cl. 7.5; hte. 16; cl. 7.7.
 Possibly young of the year. Perhaps
 older, however.

Register and Prescription Book

No.	NAME	RANK	REG'T	COMP.	DISEASE
-----	------	------	-------	-------	---------

